

Removing two coats of blond varnish from the upper and lower kitchen cabinets without harming the adjacent wallpaper.

Step 1: Phase 1 Paste

Step 2: Phase 2 Liquid

Step 3: Apply new finish



- PH neutral means it needs no neutralization
- 10 year shelf life
- Will not freeze
- Need for sanding is minimized
- No water needed



Lead based paint on kitchen cabinets.



Lead based paint completely stripped using Star 10 Paint Stripper.

Distributed by:

575 W HUME AVE
MUSKEGON, MI 49444
231.830.8070 | 800.726.4319
WWW.STARTEN.COM



STAR 10

PAINT STRIPPER



HOW to make your
cabinets and doors
BEAUTIFUL again!

REMOVING OLD FINISHES FROM DOORS,
CABINETS, HARDWOOD FLOORS &
ANYTHING INSIDE WITHOUT USING WATER

1. Apply Star 10 'Phase 1 Paste' the thickness of a dime (1/16th of an inch).
2. Let it dwell for 30 minutes.
3. Check (1 inch square) with a scraper to see if the finish has softened the finish to the bare wood.
4. If yes, scrape/remove the softened finish from the wood surface.
5. If no, let it dwell another 15 to 30 minutes & check again. Remember the dwell time when completing the rest of the project.
6. Keep in mind that all finishes require different dwell times. Some two part finishes may require 7 - 8 hours to dwell.
7. After removing the bulk of the softened finish you will have a small amount of residue on the wood to remove to 100% clean wood, metal or fiberglass.
8. To remove the last bit of residue, use 'Star 10 Phase 2 Liquid'. Using a trigger spray HDPE plastic bottle, apply the 'Phase 2 Liquid' so the surface is completely wet & onto a maroon scotch-brite pad. Agitate/massage the residue with the maroon scotch-brite pad until the surface is clean. Wipe with an absorbent rag, like a terry cloth towel, before it evaporates. You can put a new finish on the surface now.

Star 10 'Phase 2 Liquid' is the same as the Star 10 'Phase 1 Paste' without the thickening agent.

BUY A QUART & DO A TEST!



Fifteen man hours



from start to finish

No Methylene Chloride, No Caustics, No Acids, No NMP



This entire entrance was stripped 100% to bare wood (no damage to patina) using Star 10 'Phase 1 Paste' and Star 10 'Phase 2 Liquid' stripping products. The doors were then refinished with two coats of marine varnish in a total of 15 man hours.

Please check out our website, www.starten.com, for a **how-to video** on stripping cabinets & doors.